



# Internet Security Protocols

Bart Preneel

February 2009

With thanks to Joris Claessens and Walter Fumy




# Outline

- Internet summary
- IETF process
- Basic principles
- Transport layer security
  - SSL / TLS
- Network layer security
  - IPSec, VPN, SSH




# Internet Evolution






# The Internet - A Network of Networks

- “IP is the protocol that integrates all infrastructures”






# Internet Protocols



- **Network Layer**
  - Internet Protocol (IP)
- **Transport Layer**
  - Transmission Control Protocol (TCP), User Datagram Protocol (UDP)



# Data Encapsulation





# Internet Standardization

*Rough Consensus & Running Code*

- **ISOC/IAB/IESG/IETF**
- **Internet Engineering Task Force (IETF)**
- **IETF Working Groups**
  - Mailing List Information
  - Scope of the Working Group
  - Goals and Milestones
  - Current Internet Drafts & RFCs
  - <http://www.ietf.org/html.charters/wg-dir.html>
- **RFCs**
  - <http://www.rfc-editor.org>
  - <ftp://FTP.ISI.EDU/in-notes/>



# IETF Standards: RFC

## – Proposed Standard (PS)


- stable spec
- lowest level of standards track

## – Draft Standard (DS)

- at least two independent and interoperable implementations

## – Standard (STD)

- widely, successfully used







# IETF Intermediate documents

- **Request for Comments (RFCs) with different maturity levels**
  - Experimental (E)
  - Informational (I)
  - Historic (H)
  - Best Current Practice (BCP)
- **Internet-Drafts (I-D)** are working documents of the working groups and have **no formal status**
- **Protocol Status (requirement level)**
  - "required", "recommended", "elective", "limited use", or "not recommended"
  - “must” and “should”



# IETF Security Area (1)

*Area Directors: Pasi Eronen, Tim Polk*

- **btns** Better-Than-Nothing Security
- **dkim** Domain Keys Identified Mail
- **emu** EAP Method Update
- **hokey** Handover Keying
- **idwg** Intrusion Detection Exchange Format
- **inch** Extended Incident Handling
- **isms** Integrated Security Model for SNMP
- **keyprov** Provisioning of Symmetric Keys
- **kink** Kerberized Internet Negotiation of Keys
- **kitten** Kitten (GSS-API Next Generation)
- **krb-wg** Kerberos
- **ltans** Long-Term Archive and Notary Services



# IETF Security Area (2)

*Area Directors: Pasi Eronen, Tim Polk*

- **mobie** IKEv2 Mobility and Multihoming
- **msec** Multicast Security
- **nea** Network Endpoint Assessment
- **openpgp** An Open Specification for Pretty Good Privacy
- **pki4ipsec** Profiling Use of PKI in IPSEC
- **pkix** Public-Key Infrastructure (X.509)
- **sasl** Simple Authentication and Security Layer
- **secsh** Secure Shell
- **smime** S/MIME Mail Security
- **syslog** Security Issues in Network Event Logging
- **tls** Transport Layer Security




# Communications insecurity

- architectural errors
  - wrong trust assumptions
  - default = no security
- protocol errors
  - unilateral entity authentication
  - weak entity authentication mechanism
  - downgrade attack
- modes of operation errors
  - no authenticated encryption
  - wrong use of crypto
- cryptographic errors
  - weak crypto
- implementation errors

range of wireless  
communication  
is often  
underestimated!




# A historical perspective (1)





# A historical perspective (2)






# Security Goals (started in ISO 7498-2)

- confidentiality:
  - entities (anonymity)
  - data
  - traffic flow
- (unilateral or mutual) entity authentication
- data authentication (connection-less or connection-oriented): data origin authentication + data integrity
- access control
- non-repudiation of origin versus deniability



# Security Protocols & Services


- Cryptographic techniques:
  - symmetric encipherment
  - message authentication mechanisms
  - entity authentication mechanisms
  - key establishment mechanisms (e.g., combined with entity authentication)







# Internet Security Protocols



- security services depend on the layer of integration:
  - the mechanisms can only protect the payload and/or header information available at this layer
  - header information of lower layers is **not protected!!**




# Security: at which layer?

- Application layer:
  - closer to user
  - more sophisticated/granular controls
  - end-to-end
  - but what about firewalls?
- Lower layer:
  - application independent
  - hide traffic data
  - but vulnerable in middle points
- Combine?



# SP Architecture I: Encapsulation



- Bulk data: symmetric cryptography
- Authenticated encryption: best choice is to authenticate the ciphertext






# SP Architecture II: Session (Association) Establishment

Host A



Host B





# Algorithm Selection

## “a la carte“

- each algorithm (encryption, integrity protection, pseudo-random function, Diffie-Hellman group, etc.) is negotiated independently
- less compact to encode
- more flexible
  
- e.g., IKEv1

## “suite“

- all parameters are encoded into a single suite number; negotiation consists of offering one or more suites and having the other side choose
- simpler and more compact to encode
- potentially exponential number of suites
- less flexible
  
- e.g., TLS and IKEv2




# Transport layer security

SSL / TLS



# SSL/TLS Protocols




- connection-oriented data confidentiality and integrity, and optional client and server authentication.



# Transport Layer Security Protocols

- IETF Working Group:  
***Transport Layer Security (tls)***
  - RFC 2246 (PS), 01/99
- transparent secure channels independent of the respective application.
- available protocols:
  - *Secure Shell* (SSH), SSH Ltd.
  - *Secure Sockets Layer* (SSL), Netscape
  - *Transport Layer Security* (TLS), IETF







# SSL / TLS

- Mainly in context of WWW security, i.e., to secure the HyperText Transfer Protocol (HTTP)
- But, in between application layer and TCP, thus can be used to secure other applications than HTTP too (IMAP, telnet, ftp, ...)




# Other WWW security protocols

- PCT: Microsoft's alternative to SSL
- S-HTTP: S/MIME-like protocol
- SET: for credit card transactions
- XML-Signature: PKCS#7-based signature on XML documents
- ...



# SSL / TLS

- “Secure Sockets Layer” (Netscape)
  - SSL 2.0: security flaws!
  - SSL 3.0: still widely used - not interoperable with TLS 1.0
- “Transport Layer Security” (IETF)
  - TLS 1.0: adopted SSL 3.0 with minor changes
  - RFC 2246, 01/99 (PS)
- TLS: security at the transport layer
  - can be used (and is intended) for other applications too
  - end-to-end secure channel, but nothing more...
  - data is only protected during communication
  - no non-repudiation!






# SSL/TLS in more detail

- “Record layer” protocol
  - fragmentation
  - compression (not in practice)
  - cryptographic security:
    - encryption → data confidentiality
    - MAC → data authentication [no digital signatures!]
- “Handshake” protocol
  - client and server authentication
  - establish cryptographic keys (for encryption and MAC)
  - negotiation of cryptographic algorithms



# Handshake: overview



- ✓ start handshake, protocol version, algorithms
- ✓ authentication server + exchange (pre)master secret
- ✓ client authentication
- ✓ end handshake, integrity verification



# TLS 1.0 Data Encapsulation Options

Integrity		
key size	144	160
algorithm options	HMAC-MD5	HMAC-SHA


**mandatory**

Confidentiality				
key size	40	56	128	168
algorithm options	RC4_40 RC4_40 RC2_CBC_40 DES_CBC_40	DES_CBC	RC4 IDEA_CBC	3DES_ EDE_CBC

**mandatory**



# TLS 1.0 Key Management Options







# RFC 3268: AES Ciphersuites for TLS

## 06/2002

CipherSuite	Key Exchange	Certificate Type
TLS_RSA_WITH_AES_128_CBC_SHA	RSA	RSA
TLS_DH_DSS_WITH_AES_128_CBC_SHA	DH_DSS	DSS
TLS_DH_RSA_WITH_AES_128_CBC_SHA	DH_RSA	RSA
TLS_DHE_DSS_WITH_AES_128_CBC_SHA	DHE_DSS	DSS
TLS_DHE_RSA_WITH_AES_128_CBC_SHA	DHE_RSA	RSA
TLS_DH_anon_WITH_AES_128_CBC_SHA	DH_anon	
TLS_RSA_WITH_AES_256_CBC_SHA	RSA	RSA
TLS_DH_DSS_WITH_AES_256_CBC_SHA	DH_DSS	DSS
TLS_DH_RSA_WITH_AES_256_CBC_SHA	DH_RSA	RSA
TLS_DHE_DSS_WITH_AES_256_CBC_SHA	DHE_DSS	DSS
TLS_DHE_RSA_WITH_AES_256_CBC_SHA	DHE_RSA	RSA
TLS_DH_anon_WITH_AES_256_CBC_SHA	DH_anon	



# TLS 1.1

- Makes RSA with 3DES the mandatory cipher suite (specifies no AES cipher suites - yet)
  - TLS 1.1: TLS\_RSA\_WITH\_3DES\_EDE\_CBC\_SHA
  - TLS 1.0: TLS\_DHE\_DSS\_WITH\_3DES\_EDE\_CBC\_SHA
- Provides several fixes, including
  - for the Rogaway and Vaudenay CBC attacks
  - for the Vaudenay, Boneh-Brumley, and KPR attacks
- Status: I-D June 2005 – expired December 2005

## Version 1.2 (Aug 08) RFC 5246

- reduces dependency on MD5 and SHA-1
- adds support for HMAC-SHA256
- deprecates IDEA and DES
- reduced support for SSL 2.0



# More IETF TLS

- Usage of TLS in HTTP:
  - upgrade to TLS within HTTP/1.1 (RFC 2817, 05/00)
  - HTTP over TLS (RFC 2818, May 2000)
- Addition of ciphers:
  - Kerberos cipher suites (RFC 2712, 10/99; 11/00)
  - ECC cipher suites (03/01)
  - AES (01/01)
  - misc. ciphers: MISTY1 (03/01), Camellia (10/00)
  - extensions for OpenPGP keys (03/01)
- Other:
  - wireless extensions (11/00)
  - TLS Delegation (02/01)
  - SRP for TLS authentication (02/01)



# TLS in the future (1)

- TLS 2.0 ?
- Some possible TLS enhancements, discussed within the IETF TLS WG:
  - RSA-OAEP
  - identity protection [note that this is already indirectly possible by authenticating within a DH\_anon session]
  - cipher suites for compression
  - missing cipher suites (not all combinations possible)
- Backward compatibility remains very important!



# TLS in the future (2)

## **TLS 1.1 – RFC June 2005**

- security fixes and clarifications
- SSL/TLS is still in evolution !

## **Enhancements currently considered within IETF**

- new cipher suites: e.g., AES, ECC
- wireless support (see WAP-WTLS) and other extensions
- password-based authentication and key exchange (SRP)

## **Other enhancements proposed in literature**

- performance improvements:
  - ‘batching’ [ShachamBoneh’01] and ‘fast-track’ [ShachamBoneh’02]
- user (identity) privacy [PersianoVisconti’00]
- client puzzles [DeanStubblefield’01] to counter denial-of-service attacks
- trust negotiation [Hess et al’02]



# SSL/TLS: security services

## **SSL/TLS *only* provides:**

- entity authentication
- data confidentiality
- data authentication

## **SSL/TLS does *not* provide:**

- non-repudiation
- unobservability (identity privacy)
- protection against traffic analysis
- secure many-to-many communications (multicast)
- security of the end-points (but relies on it!)



# SSL/TLS: security ?

- TLS 1.0 is the result of a public reviewing process: several problems have been identified in earlier versions (SSL 2.0/3.0) and have been solved
- SSL/TLS is practically secure
- Some caveats (in order of importance):
  - bad implementation; e.g., random number generation
  - PKCS#1 attack (use other padding scheme: OAEP; server error messages should contain less information)
  - version / cipher suite roll back attempts (due to backward compatibility; disable export algorithms if possible)
  - traffic analysis: e.g., length of ciphertext might reveal useful info
  - plenty of known plaintext (both SSL/TLS and HTTP related)



# SSL/TLS: evaluation

## **TLS 1.0 provides a good level of security**

- result of a public reviewing process: several problems have been identified in earlier versions (SSL 2.0/3.0) and have been addressed

## **Some remaining security problems though**

- downgrade attacks
- cryptographic attacks
- PKI related problems
- web spoofing
- platform and users





# Security in transport layer

- Transparent for application
- Pro: can be used for all TCP-based applications, without modifying them
- Con: authentication is one, but who/what to trust, is important
- Non-repudiation?
- In practice: (partially) integrated in application



# Non-repudiation

- Legally only if in application, thus not provided by SSL/TLS
- SSL/TLS secures the communication channel, but not the exchanged messages
- SSL/TLS does not use digital signatures in the first place (except for client authentication)
- For electronic business, more advanced security protocols are needed...



# User authentication

First *authentication*, then *authorization* !

## SSL/TLS client authentication:

- during handshake, client digitally signs a specific message that depends on all relevant parameters of secure session with server
- software devices, smart cards or USB tokens can be deployed through standardized cryptographic interfaces supported by browsers  
(Netscape: PKCS#11; MSIE: PC/SC)
- PKCS#12 key container provides software mobility

Usually another mechanism on top of SSL/TLS




# Network layer security

IPsec, VPN, SSH



# IP Security Protocols

- IETF Working Group:  
***IP Security Protocol (ipsec)***  
***Security Architecture for the Internet Protocol***
  - RFC 2401 (PS), 11/98
- ***IP Authentication Header (AH)***
  - RFC 2402 (PS), 11/98
- ***IP Encapsulating Security Payload (ESP)***
  - RFC 2406 (PS), 11/98
- ***Internet Key Exchange (IKE)***
  - RFC 2409 (PS), 11/98
  - Application layer protocol for negotiation of Security Associations (SA) and Key Establishment



- **Large and complex..... (48 documents)**
- **Mandatory for IPv6, optional for IPv4**




# IPSec VPN models: Hosts and Security Gateways


Host-to-host (not VPN)



Branch-to-branch



Host-to-gateway





# IPsec - Security services

- Access control
- Connectionless integrity
- Data origin authentication
- Rejection of replayed packets (a form of partial sequence integrity)
- Confidentiality
- Limited traffic flow confidentiality



# IPsec - Concepts

- Security features are added as extension headers that follow the main IP header
  - Authentication header (AH)
  - Encapsulating Security Payload (ESP) header
- Security Association (SA)
  - Security Parameter Index (SPI)
  - IP destination address
  - Security Protocol Identifier (AH or ESP)





# IPsec - Parameters

- sequence number counter
- sequence counter overflow
- anti-replay window
- AH info (algorithm, keys, lifetimes, ...)
- ESP info (algorithms, keys, IVs, lifetimes, ...)
- lifetime
- IPSec protocol mode (tunnel or transport)
- path MTU (maximum transmission unit)



# IKE Algorithm Selection

## Mandatory Algorithms

<b>Algorithm Type</b>	<b>IKE v1</b>	<b>IKE v2</b>
<b>Payload Encryption</b>	DES-CBC	<b>AES-128-CBC</b>
<b>Payload Integrity</b>	HMAC-MD5 HMAC-SHA1	HMAC-SHA1
<b>DH Group</b>	768 Bit	<b>1536 Bit</b>
<b>Transfer Type 1 (Encryption)</b>	ENCR_DES_CBC	<b>ENCR_AES_128_CBC</b>
<b>Transfer Type 2 (PRF)</b>	PRF_HMAC_SHA1 [RFC2104]	PRF_HMAC_SHA1 [RFC2104]
<b>Transfer Type 3 (Integrity)</b>	AUTH_HMAC_SHA1_96 [RFC2404]	AUTH_HMAC_SHA1_96 [RFC2404]




# IPsec - Modes

- Transport (*host-to-host*)
  - ESP: encrypts and optionally authenticates IP payload, but not IP header
  - AH: authenticates IP payload and selected portions of IP header
- Tunnel (*between security gateways*)
  - after AH or ESP fields are added, the entire packet is treated as payload of new outer IP packet with new outer header
  - used for VPN




# IPsec - AH Transport mode

- Security Parameters Index: identifies SA
- Sequence number: anti-replay
- Integrity Check Value: data authentication using HMAC-SHA-1-96 or HMAC-MD5-96





# IPsec - AH Tunnel mode






# IPsec - ESP header

- Security Parameters Index: identifies SA
- Sequence number: anti-replay
- Encrypted payload data: data confidentiality using DES, 3DES, RC5, IDEA, CAST, Blowfish
- Padding: required by encryption algorithm (additional padding to provide traffic flow confidentiality)
- Integrity Check Value : data authentication using HMAC-SHA-1-96 or HMAC-MD5-96




# IPsec - ESP Transport mode





# IPsec - ESP Tunnel mode







# IPsec - Key management

- RFCs 2407, 2408, and 2409
- Manual
- Automated
  - procedure / framework
    - Internet Security Association and Key Management Protocol (ISAKMP), RFC 2408 (PS)
  - key exchange mechanism: Internet Key Exchange (IKE)
    - Oakley: DH + cookie mechanism to thwart clogging attacks
    - SKEME



# IPsec: Key management

- IKE defines 5 exchanges
  - Phase 1: establish a secure channel
    - Main mode
    - Aggressive mode
  - Phase 2: negotiate IPSEC security association
    - Quick mode (only hashes, PRFs)
  - Informational exchanges: status, new DH group
- based on 5 generic exchanges defined in ISAKMP
- cookies for anti-clogging




# IPsec: Key management


- protection suite (negotiated)
  - encryption algorithm
  - hash algorithm
  - authentication method:
    - preshared keys, DSA, RSA, encrypted nonces
  - Diffie Hellman group: 5 possibilities



# IKE - Main Mode with Digital Signatures



*Initiator*



*Responder*

proposed attributes

selected attributes

$g^x, N_i$

$g^y, N_r$

$E(K, ID_i, [Cert(i)], SIG_i)$

$SIG_r =$  Signature on  
 $H(\text{master}, g^y \parallel g^x \parallel \dots \parallel ID_r)$

$E(K, ID_r, [Cert(r)], SIG_r)$

K derived from  
 $\text{master} = \text{prf}(N_i \parallel N_r, g^{xy})$

$SIG_i =$  Signature on  
 $H(\text{master}, g^x \parallel g^y \parallel \dots \parallel ID_i)$

H is equal to prf or the hash function tied to the signature algorithm  
(all inputs are concatenated)



# IKE - Main Mode with Digital Signatures

- mutual entity authentication
- mutual implicit and explicit key authentication
- mutual key confirmation
- joint key control
- identity protection
- freshness of keying material
- perfect forward secrecy of keying material
- non-repudiation of communication
- cryptographic algorithm negotiation



# IKE v2 - RFC Dec 2005

- IKEv1 implementations incorporate additional functionality including features for NAT traversal, legacy authentication, and remote address acquisition, not documented in the base documents
- Goals of the IKEv2 specification include
  - to specify all that functionality in a single document
  - to simplify and improve the protocol, and to fix various problems in IKEv1 that had been found through deployment or analysis
- IKEv2 preserves most of the IKEv1 features while redesigning the protocol for efficiency, security, robustness, and flexibility



# IKE v2 Initial Handshake (1/2)

- Alice and Bob negotiate cryptographic algorithms, mutually authenticate, and establish a session key, creating an IKE-SA
- Usually consists of two request/response pairs
  - The first pair negotiates cryptographic algorithms and does a Diffie-Hellman exchange
  - The second pair is encrypted and integrity protected with keys based on the Diffie-Hellman exchange



# IKE v2 Initial Handshake (2/2)

- Second exchange
  - divulge identities
  - prove identities using an integrity check based on the secret associated with their identity (private key or shared secret key) and the contents of the first pair of messages in the exchange
  - establish a first IPsec SA (“child-SA”) is during the initial IKE-SA creation






# IPsec Overview

- Much better than previous alternatives
- IPsec documents hard to read
- Committee design: too complex
  - ESP in Tunnel mode probably sufficient
  - Simplify key management
  - Clarify cryptographic requirements
- ...and thus difficult to implement (securely)



# VPN?

- Virtual Private Network
- Connects a private network over a public network.
- Connection is secured by tunneling protocols.
- The nature of the public network is irrelevant to the user.
- It appears as if the data is being sent over the private network.






# VPN - Common use

- Remote user access over the Internet
- Connecting networks over the Internet
- Connection computers over an intranet




# Remote user access over the Internet



- You can use existing local Internet connections.
- No need for long distance connections




# Connecting networks over the Internet



- You can use existing local Internet connections.
- No need for long distance connections or leased lines



# Connecting computers over an intranet



- Provides easy client access to secured or hidden networks within the corporate network




# VPN - Basic requirements

- User authentication and user authorization
- Data authentication and data confidentiality
- Key management
- Encapsulation
  - data of private network is encapsulated in packets suited for transmission over the public network. (tunneling protocol)
- Address management
  - assign a client's address on the private net





# Tunneling





# Final remarks



# Some observations

- IPsec is really transparent, SSL/TLS only conceptually, but not really in practice
- SSH, PGP: stand-alone applications, immediately and easy to deploy and use
- Network security: solved in principle
- Electronic commerce security: more is needed!



# More information (1)

- William Stallings, *Cryptography and Network Security - Principles and Practice*, Fourth Edition, 2006
- Nagand Doraswamy, Dan Harkins, *IPSEC - The New Security Standard for the Internet, Intranets, and Virtual Private Networks*, Prentice Hall, 1999.
- Erik Rescorla, *SSL and TLS: Designing and Building Secure Systems*, Addison-Wesley, 2000
- IETF web site: [www.ietf.org](http://www.ietf.org)
  - e.g., IETF-TLS Working Group  
<http://www.ietf.org/html.charters/tls-charter.html>



## More information (2)

- Jon C. Snader, *VPNs Illustrated: Tunnels, VPNs, and IPsec*, Addison-Wesley, 2005
- Sheila Frankel, *Demystifying the Ipsec Puzzle*, Artech House Computer Security Series, 2001
- Anup Gosh, *E-Commerce Security, Weak Links, Best Defenses*, Wiley, 1998
- Rolf Oppliger, *Security Technologies for the World Wide Web*, Artech House Computer Security Series 1999
- W3C Security (incl WWW Security FAQ)  
<http://www.w3.org/Security/>